



KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
CHEVY & GMC PICKUPS						
CMK3792V-I6	1996-2000	C&K1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W/ AC / REQUIRES 6 GROOVE PULLEY
CMK37L3S-8	1996-2000	C&K 1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
CMK37J180-8	1996-2000	C&K 1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
CMK3892V-I6	1999-2010 2000-2014	SILVERADO 1500-3500 TAHOE, SUBURBAN	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK38L3S-I6	1999-2010 2000-2014	SILVERADO 1500-3500 TAHOE, SUBURBAN	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK38J180-I6	1999-2010 2000-2014	SILVERADO 1500-3500 TAHOE, SUBURBAN	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK3992V-I6	2011-2013 2011-2019	SILVERADO 1500 SILVERADO 2500-3500	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK39L3S-I6	2011-2013 2011-2019	SILVERADO 1500 SILVERADO 2500-3500	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK39J180-I6	2011-2013 2011-2019	SILVERADO 1500 SILVERADO 2500-3500	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK13092V-I6	2014-2019 2015-2019	SILVERADO 1500 ONLY YUKON, TAHOE, SUBURBAN 1500	4.8 / 5.3	293 / 325	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK13192V-I6	2014-2019	SILVERADO / SIERRA 1500	4.3		V6 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK13292V-I6	2020-2024	SILVERADO / SIERRA 1500	5.3		V8 GAS	FOR USE W/ AC / WO DUAL ALT / Requires 6 Groove Pulley. See installation notes for year 2020 & newer regarding water pump!
CMK13492V-6-7.5	2020-2026	SILVERADO / SIERRA 1500	5.3		V8 GAS	For use W/AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY.
CMK14092V-I6	2020-2025	SILVERADO 2500HD-3500HD SIERRA 2500HD-3500HD	6.6		V8 GAS	FOR USE W/-W/O A/C, W/O OEM DUAL ALTERNATORS, REQUIRES 6-GROOVE PULLEY, For use w/ Vortec 92V Alternator
CMK140TM-I6	2020-2024	SILVERADO 2500HD-3500HD SIERRA 2500HD-3500HD	6.6		V8 GAS	FOR USE W/-W/O A/C, W/O DUAL ALTERNATORS, Requires 6-Groove Pulley, For use w/ M.E.P.S. TM Alternator
CMK47L3S-8	2001-2002	C&K 3500HD	8.1	496	V8 GAS	FOR USE W-WO AC / WO DUAL ALT / REQUIRES 8 GROOVE CLUTCH / O.E.M. ALT SHOULD BE ON PASSENGER SIDE
CMK4892V-I6	2001-2006 2003-2006	C&K 2500HD-3500 C&K 3500HD	8.1	496	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / O.E.M. ALT SHOULD BE ON DRIVERS SIDE
CMK48L3S-8	2001-2006 2003-2006	C&K 2500HD-3500 C&K 3500HD	8.1	496	V8 GAS	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / O.E.M. ALT SHOULD BE ON DRIVERS SIDE
CMK6992V-I6	2001-2010 2003-2010	2500HD-3500 3500HD	6.6	403	V8 DIESEL / DURAMAX	FOR USE W/ AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY
CMK69L3S-I6	2001-2010 2003-2010	2500HD-3500 3500HD	6.6	403	V8 DIESEL / DURAMAX	FOR USE W/ AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY
CMK69J180-I6	2001-2010 2003-2010	2500HD-3500 3500HD	6.6	403	V8 DIESEL / DURAMAX	FOR USE W/ AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY
CMK26092V-I6	2011-2016	2500HD-3500HD	6.6	403	V8 DIESEL / DURAMAX	For use W-WO AC / WO Dual ALT / Requires 6 Groove Pulley



KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
CHEVY & GMC MEDIUM DUTY TRUCKS						
CMK47L3S-8	2003-2009	C 4500-5500 / TOPKICK / KODIAK	8.1	496	V8 GAS	FOR USE W-WO AC / WO DUAL ALT / REQUIRES 8 PULLEY
CMK55L3S-6	2006-2009	C 6500-8500 / TOPKICK / KODIAK	8.1	496	V8 GAS	For use w-wo AC / w-wo Air Compressor / Requires 6 Groove Pulley
CMK86L3S-8-7.5	BUILD DATE 01/04-2009	C 4500-5500 / TOPKICK / KODIAK	6.6	403	V8 DIESEL / DURAMAX	FOR USE W-WO AC AND W-WO DUAL ALT. / REQUIRES 8 GROOVE PULLEY / INCLUDES 7.5" DRIVE PULLEY
CMK86J180-8	BUILD DATE 01/04-2009	C 4500-5500 / TOPKICK / KODIAK	6.6	403	V8 DIESEL / DURAMAX	FOR USE W-WO AC AND W-WO DUAL ALT. / REQUIRES 8 GROOVE PULLEY
SMK3492V-8	1999-2009	W 4500-5500	4.7 / 5.2		I4 DIESEL	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
SMK34L3S-8	1999-2009	W 4500-5500	4.7 / 5.2		I4 DIESEL	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
SMK3892V-I6	2003-2009 2016-2020	3500-5500 3500-5500	6.0	366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
SMK3992V-I6	2021-2026	LCF 3500-5500	6.6		V8 GAS	For use With A/C, Without Dual Alternators, Requires 6-Groove Pulley, For use w/ Vortec 92V Alternator
CHEVY & GMC VANS						
CMK3792V-I6	1997-2002	G 1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W/ AC / REQUIRES 6 GROOVE PULLEY
CMK37L3S-8	1997-2002	G 1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
CMK37J180-8	1997-2002	G 1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
VCK3892V-I6	2003-2005	G 1500-3500	4.8 / 5.3 / 6.0	293 / 325 / 364	V8 GAS	For Use W-WO AC / WO EGR Valve / Requires 6 Groove Pulley
VCK3992V-I6	2006-2020	G 1500-3500	4.8 / 5.3 / 6.0	293 / 325 / 364	V8 GAS	FOR USE W-WO AC / WO EGR VALVE / Requires 6 Groove Pulley
VCK39L3S-6	2003-2020	G 1500-3500	4.8 / 5.3 / 6.0	293 / 325 / 364	V8 GAS	FOR USE W-WO AC / WO EGR VALVE / Requires 6 Groove Pulley
VCK39J180-6	2003-2020	G 1500-3500	4.8 / 5.3 / 6.0	293 / 325 / 364	V8 GAS	FOR USE W-WO AC / WO EGR VALVE / Requires 6 Groove Pulley
VCK4092V-I6	2018-2025	G 2500-3500 EXPRESS/SAVANA	4.3		V6 GAS	FOR USE W-WO AC / Requires 6 Groove 2" Pulley / Without Dual Alternators / FOR VAN ONLY
VCK4092V-I6CA	2018-2025	G 2500-3500 Express/Savana Cutaway	4.3		V6 GAS	FOR USE W-WO AC / Requires 6 Groove 2" Pulley / Without Dual Alternators / FOR CUTAWAY ONLY
VCK4192V-I6	2021-2025	G 2500-3500 EXPRESS/SAVANA G 3500-4500 CUTAWAY	6.6		V8 GAS	With A/C, Without Dual Alternators, Requires 6 or 8 Groove, 2" Diameter Pulley, 375% Overdrive Ratio w/ 2" Diameter Clutch
DODGE PICKUPS						
DMK3992V-I8	2003-2008	2500-3500	5.7	345	V8 GAS / HEMI	FOR USE W/ AC / WO EGR VALVE / REQUIRES 8 GROOVE PULLEY, USES 7 GROOVE BELT
DMK39L3S-I8	2003-2008	2500-3500	5.7	345	V8 GAS / HEMI	FOR USE W/ AC / WO EGR VALVE / REQUIRES 8 GROOVE PULLEY, USES 7 GROOVE BELT
DMK4092V-6	2009-2019	2500-3500	5.7	345	V8 GAS / HEMI	FOR USE W-WO AC / WO EGR VALVE / REQUIRES 6 GROOVE PULLEY / Heat gun for washer tank modification required for 2009 models.
DMK40L3S-6	2009-2019	2500-3500	5.7	345	V8 GAS / HEMI	FOR USE W-WO AC / WO EGR VALVE / REQUIRES 6 GROOVE PULLEY / Heat gun for washer tank modification required for 2009 models.
DMK40J180-6	2009-2019	2500-3500	5.7	345	V8 GAS / HEMI	FOR USE W-WO AC / WO EGR VALVE / REQUIRES 6 GROOVE PULLEY / Heat gun for washer tank modification required for 2009 models.
DMK54L3S-8	1998-2002	2500-3500	5.9	359	I6 DIESEL / CUMMINS / 24 VALVE	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK54J180-8	1998-2002	2500-3500	5.9	359	I6 DIESEL / CUMMINS / 24 VALVE	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY



KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
DMK55L3S-I8	2003-2007	2500-3500	5.9	359	I6 DIESEL / CUMMINS / 24 VALVE	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK5792V-I8	2007-2010	2500-3500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK57L3S-I8	2007-2010	2500-3500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK57J180-I8	2007-2010	2500-3500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK5892V-I8	2011-2012	2500-5500	6.7	409	I6 DIESEL / CUMMINS	For use W/ AC / For use WO Remote Mounted Power Steering Reservoir / For use WO Dual Alternator / NOT for use on 2012 or later models w/ Automatic Transmission / Requires 8 Groove Pulley
DMK58L3S-I8	2011-2012	2500-5500	6.7	409	I6 DIESEL / CUMMINS	For use W/ AC / For use WO Remote Mounted Power Steering Reservoir / For use WO Dual Alternator / NOT for use on 2012 or later models w/ Automatic Transmission / Requires 8 Groove Pulley
DMK58J180-I8	2011-2012	2500-5500	6.7	409	I6 DIESEL / CUMMINS	For use W/ AC / For use WO Remote Mounted Power Steering Reservoir / For use WO Dual Alternator / NOT for use on 2012 or later models w/ Automatic Transmission / Requires 8 Groove Pulley
DMK5892V-I8AT	2012-2013	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / For use with 2013 Models with Direct Mounted Power Steering Reservoir only / REQUIRES 8 GROOVE PULLEY
DMK58L3S-I8AT	2012-2013	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / For use with 2013 Models with Direct Mounted Power Steering Reservoir only / REQUIRES 8 GROOVE PULLEY
DMK58J180-I8AT	2012-2013	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / For use with 2013 Models with Direct Mounted Power Steering Reservoir only / REQUIRES 8 GROOVE PULLEY
DMK5992V-I8	2013-2018	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W / AC / FOR USE WITH 2013 MODELS WITH REMOTE MOUNTED POWER STEERING RESERVOIR ONLY / FOR USE WO DUAL ALTERNATOR / Requires 8 Groove Clutch
RMK6092V-I8	2019-2024	RAM 2500-5500	6.7		I6 DIESEL / CUMMINS	FOR USE WITH AC / W/O DUAL ALTERNATORS / REQUIRES 8 GROOVE PULLEY
RMK6092V-I8LD	2019-2024	RAM 2500-5500	6.7		I6 DIESEL / CUMMINS	For use w/ AC / W/O Dual Alternators / Requires 8 Groove Pulley. NOTE: For use with Trucks Equipped with Lane Departure
RMK6292V-I8	2025-2026	RAM 2500-5500	6.7		I6 DIESEL / CUMMINS	For use w/ A/C, w/o OEM Dual Alternators, Must use 8-Groove, 2-1/2" Diameter Pulley
DMK6292V-I8	1994-2003	2500-3500	8.0	488	V10 GAS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK62L3S-I8	1994-2003	2500-3500	8.0	488	V10 GAS	FOR USE W/AC / REQUIRES 8 GROOVE PULLEY
DMK6392V-6	2014-2018	2500-5500	6.4		V8 GAS / HEMI	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 6 GROOVE PULLEY
DODGE VANS						
VFLMK2392V-6	2007-2009	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23L3S-6	2007-2009	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23J180-6	2007-2009	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VDK3092V-6	2014-2021	RAM PROMASTER	3.6		V6 PENTASTAR	FOR USE W/A/C / REQUIRES 6-GROOVE PULLEY
VRK3092V-6	2022-2026	RAM PROMASTER	3.6		V6 GAS	FOR USE W/A/C / REQUIRES 6-GROOVE PULLEY

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
FORD PICKUPS						
FMK36L3S-2	1988-1997	F 150-350	5.0 / 5.8	302 / 351	V8 GAS	FOR USE W-WO AC / REQUIRES DUAL V PULLEY
FMK4692V-6	1999-2004	F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
FMK4692V-8	1999-2004	F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
FMK46L3S-8	1999-2004	F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
FMK46J180-8	1999-2004	F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
FMK46L3S-8SB	1999-2004	F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / KIT SUPPLIED W/ BEARING SUPPORT
FMK46J180-8SB	1999-2004	F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / KIT SUPPLIED W/ BEARING SUPPORT
FMK4792V-I6	2005-2010 2005-2016	F 250-550 SUPER DUTY F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W/ AC / REQUIRES 6 GROOVE PULLEY
FMK47L3S-8	2005-2010 2005-2016	F 250-550 SUPER DUTY F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	For use w-wo AC / Requires 8 Groove Pulley / If installing on 2008 or newer 5.4L a NEW Harmonic Balancer With Tapped Hole will need to be purchased from FORD Part#7L3Z-6312-A
FMK47J180-8	2005-2010 2005-2016	F 250-550 SUPER DUTY F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	For use w-wo AC / Requires 8 Groove Pulley / If installing on 2008 or newer 5.4L a NEW Harmonic Balancer With Tapped Hole will need to be purchased from FORD Part#7L3Z-6312-A
FMK47L3S-8SB	2005-2010 2005-2016	F 250-550 SUPER DUTY F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	For use w-wo AC / Requires 8 Groove Pulley / If installing on 2008 or newer 5.4L a New Harmonic Balancer w/ Tapped Hole will need to be purchased from Ford Part#7L3Z-6312-A / Kit Supplied w/ Bearing Support
FMK47J180-8SB	2005-2010 2005-2016	F 250-550 SUPER DUTY F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	For use w-wo AC / Requires 8 Groove Pulley / If installing on 2008 or newer 5.4L a New Harmonic Balancer w/ Tapped Hole will need to be purchased from Ford Part#7L3Z-6312-A / Kit Supplied w/ Bearing Support
FMK24092V-8	2017-2019	F 450-550 SUPER DUTY	6.8		V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
FMK24192V-I6	2020-2026 2023-2026	F 250-550 & F 600 Super Duty F 250-550 & F 600 Super Duty	7.3 6.8		V8 GAS	WITHOUT DUAL ALTERNATOR. FOR USE W-WO AC. Requires 6-Groove Pulley.
FMK24192V-I6DA	2020-2022	F 250-550 & F 600 Super Duty	7.3		V8 GAS	WITH DUAL ALTERNATOR. Requires 6-Groove Pulley.
FMK48L3S-8WP	2011-2016	F 250-350 SUPER DUTY	6.2	378	V8 GAS / TRITON	For use W-WO AC / Kit comes with 6.8L water pump & adapter for replacement to prevent water pump failure / Requires 8 Groove Pulley
FMK4892V-8WP	2011-2016	F 250-350 SUPER DUTY	6.2	378	V8 GAS / TRITON	For use W-WO AC / Kit comes with 6.8L water pump & adapter for replacement to prevent water pump failure / Requires 8 Groove Pulley
FMK4992V-8WP	2017-2022	F 250-350 SUPER DUTY	6.2		V8 GAS	For use with or w/out AC, Requires 8-Groove Pulley, Kit Comes with Heavy-Duty Water Pump to Prevent Water Pump Failure
FMK6692V-8	1999-2003	F 250-550 SUPER DUTY	7.3	444	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / W-WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK66L3S-8	1999-2003	F 250-550 SUPER DUTY	7.3	444	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / W-WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK66J180-8	1999-2003	F 250-550 SUPER DUTY	7.3	444	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / W-WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY



KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
FMK6892V-I8	2003-2007	F 250-550 SUPER DUTY	6.0	365	V8 DIESEL / POWERSTROKE	FOR USE W/ AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK6892V-8	2003-2007	F 250-550 SUPER DUTY	6.0	365	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK68L3S-8	2003-2007	F 250-550 SUPER DUTY	6.0	365	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK68J180-8	2003-2007	F 250-550 SUPER DUTY	6.0	365	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK26092V-I8	2008-2010	F 250-550 SUPER DUTY	6.4	390	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK260L3S-8	2008-2010	F 250-550 SUPER DUTY	6.4	390	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK260J180-8	2008-2010	F 250-550 SUPER DUTY	6.4	390	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK26192V-8	2011	F 250-550 SUPER DUTY	6.7	409	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK26492V-8	2012-2023(Build Date 12.31.22 or Prior)	F 250-550 SUPER DUTY	6.7	409	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
	2020-2023(Build Date 12.31.22 or Prior)	F 600 SUPER DUTY				
FMK26592V-8	2017-2023(Build Date 12.31.22 or Prior)	F 250-550 SUPER DUTY	6.7	409	V8 DIESEL / POWERSTROKE	For use w/ AC / W/ Dual Alternator Only / Requires 8 Groove Pulley **Will not work on trucks equipped with adaptive steering.**
	2020-2023(Build Date 12.31.22 or Prior)	F 600 SUPER DUTY				
FMK26692V-6	2023 (Build Date: 01.01.23 or Later) - 2025	F 250-550 SUPER DUTY	6.7		V8 DIESEL / POWERSTROKE	For use with or without A/C, WITHOUT OEM Dual Alternators, WITHOUT Ford ProPower Option, Requires 6-Groove Pulley
		F 600 SUPER DUTY				
FMK26792V-I6	2023 (Build Date: 01.01.23 or Later) - 2025	F 250-550 SUPER DUTY	6.7		V8 DIESEL / POWERSTROKE	For use w/ A/C, W/ OEM Dual Alternators, Without Ford ProPower Option, W/O Adaptive Steering, 6-Groove 2" Dia. Pulley. Notice: Trucks w/ build date of May 2, 24 or later have single-side grooved drive belt installed. Use appropriate idler pulleys.
		F 600 SUPER DUTY				

FORD MEDIUM DUTY TRUCKS

FMK9392V-I8	2003-2009	F 650-750	7.2	442	I6 DIESEL / C7 CAT	For use w/ AC / W-WO Air Compressor / Requires 8 Groove Pulley
FMK93L3S-I8	2003-2009	F 650-750	7.2	442	I6 DIESEL / C7 CAT	For use w/ AC / W-WO Air Compressor / Requires 8 Groove Pulley
FMK93J180-I8	2003-2009	F 650-750	7.2	442	I6 DIESEL / C7 CAT	For use w/ AC / W-WO Air Compressor / Requires 8 Groove Pulley
FMK26492V-8	2017-2023(Build Date 12.31.22 or Prior)	F 650-750	6.7	409	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK26692V-6	2023 (Build Date: 01.01.23 or Later) - 2025	F 650-750	6.7		V8 DIESEL / POWERSTROKE	For use with or without A/C, WITHOUT OEM Dual Alternators, WITHOUT Ford ProPower Option, Requires 6-Groove Pulley



KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
FORD VANS						
FMK4692V-6	1997-2016	E 150-450	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / If installing on 2008 or newer 5.4L, a new harmonic balancer with tapped holes will need to be purchased from Ford Part #7L3Z-6312-A / REQUIRES 6 GROOVE PULLEY
FMK4692V-8	1997-2019	E 150-450	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / If installing on 2008 or newer 5.4L, a new harmonic balancer with tapped holes will need to be purchased from Ford Part #7L3Z-6312-A / REQUIRES 8 GROOVE PULLEY
FMK46L3S-8	1997-2019	E 150-450	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / If installing on 2008 or newer 5.4L, a new harmonic balancer with tapped holes will need to be purchased from Ford Part #7L3Z-6312-A / REQUIRES 8 GROOVE PULLEY
FMK46J180-8	1997-2019	E 150-450	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / If installing on 2008 or newer 5.4L, a new harmonic balancer with tapped holes will need to be purchased from Ford Part #7L3Z-6312-A / REQUIRES 8 GROOVE PULLEY
FMK46L3S-8SB	1997-2016	E 150-450	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / If installing on 2008 or newer 5.4L, a new harmonic balancer with tapped holes will need to be purchased from Ford Part #7L3Z-6312-A / REQUIRES 8 GROOVE PULLEY / KIT SUPPLIED W/ BEARING SUPPORT
FMK46J180-8SB	1997-2016	E 150-450	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	For use w-wo AC / If installing on 2008 or newer 5.4L, a new harmonic balancer w/ tapped holes will need to be purchased from Ford Part #7L3Z-6312-A / Requires 8 Groove Pulley / Supplied w/ Bearing Support
VFK36L3S-I7	2015-2019	TRANSIT	3.2		DIESEL	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
VFK36J180-I7	2015-2019	TRANSIT	3.2		DIESEL	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
VFK39L3S-6	2015-2019	TRANSIT	3.7		GAS	FOR USE W-WO AC / Requires 6 Groove Pulley / Wrenches available & suggested for removal & retorquing of harmonic balancer bolts. PART # VF39WR-1 & VF39WR-2, (Wrenches Sold Separately).
VFK39J180-6	2015-2019	TRANSIT	3.7		GAS	FOR USE W-WO AC / Requires 6 Groove Pulley / Wrenches available & suggested for removal & retorquing of harmonic balancer bolts. PART # VF39WR-1 & VF39WR-2, (Wrenches Sold Separately).
VFK13092V-I4	2020-2025	TRANSIT	3.5		V6 GAS EcoBoost / PFDI	w/ A/C, w/o Dual Alt., w/-w/o AWD, Requires 6-Groove Pulley
VFK13092V-6	2020-2025	TRANSIT	3.5		PFDI V6 GAS	w/ A/C, w/o Dual Alt., w/-w/o AWD, Requires 6-Groove Pulley, WILL NOT WORK WITH ECOBOOST
VFK130J180-6	2020-2025	TRANSIT	3.5		PFDI V6 GAS	w/ A/C, w/o Dual Alt., w/-w/o AWD, Requires 6-Groove Pulley, WILL NOT WORK WITH ECOBOOST
VFK24192V-I6	2021-2025	E 350-450 CUTAWAY	7.3		V8 GAS	For use with AC, w/o Dual Alternators, Requires 6-Groove Pulley
VFK241J180-I6	2021-2025	E 350-450 CUTAWAY	7.3		V8 GAS	For use with AC, w/o Dual Alternators, Requires 6-Groove Pulley



KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
FREIGHTLINER MEDIUM DUTY TRUCKS						
FLMK70L3S-8	2010-2026	M2	6.7		CUMMINS ISB DIESEL	For use W-WO AC / Requires 8 Groove Pulley / Will NOT work on 2019-2026 models with air release fan clutch.
FLMK8092V-I8	2015-2026	M2 BUSINESS CLASS	8.9		CUMMINS ISL-9 DIESEL	For use with AC, REQUIRES 8 GROOVE PULLEY
FREIGHTLINER VANS						
VFLMK2392V-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23HPI-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23J180-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23L2S-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23L3S-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK2392V-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23L3S-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23J180-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23TM-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY, For use with M.E.P.S. TM Alternator.
VFLMK25TM-6-7.5	2019-2022	2500-4500 SPRINTER	3.0	183	V6 DIESEL	W/-W/O AC, Requires 6 Groove 7.5" Diameter Pulley, Wrenches are Available & Suggested for Removal & Retorquing Harmonic Balancer Bolt, Part# VFL23WR-1 & VFL23WR-2. (Wrenches Sold Separately).
VFLMK2692V-6-7.5	2021-2022	2500-4500 SPRINTER	2.0		14 DIESEL	For use W-WO AC. Requires 6 Groove Pulley. For use with Vortec 92V Style Alternator. Wrenches available & suggested for removal & retorquing harmonic balancer bolts. Part#VFL26WR-1 & VFL26WR-2 (Wrenches Sold Separately).
VFLMK26FTAN-6-7.5	2021-2022	2500-4500 SPRINTER	2.0		14 DIESEL	For use W-WO AC. Requires 6 Groove Pulley. For use w/ Ford Tangent Mount (FTAN) Style Alternator. Wrenches available & suggested for removal/retorquing harmonic balancer bolts. Part# VFL26WR-1 and VFL26WR-2 (Sold Separately). Without Mercedes-Benz
VFLMK26J180-6-7.5	2021-2022	2500-4500 SPRINTER	2.0		14 DIESEL	For use W-WO AC. Requires 6 Groove Pulley. J180 Style Alternator. Wrenches available & suggested for removal/retorquing harmonic balancer bolts. Part# VFL26WR-1 and VFL26WR-2 (Sold Separately).
VFLMK26TM-6-7.5	2021-2022	2500-4500 SPRINTER	2.0		14 DIESEL	For use W-WO AC. Requires 6 Groove Pulley. For use w/ M.E.P.S. TM-Style Alternator. Wrenches available/suggested for removal/retorquing harmonic balancer bolts. Part# VFL26WR-1 &
VFLMK27J180-6-7.5	2019-2022	2500-4500 SPRINTER	3.0		V6 DIESEL	W/-W/O AC, Requires 6 Groove Pulley, Wrenches available/suggested for removal/retorquing harmonic balancer bBolt, Part# VFL23WR-1 & VFL23WR-2. These Are Sold Separately. J180 Style Alternator.
VFLMK2792V-6-7.5	2019-2022	2500-4500 SPRINTER	3.0		V6 DIESEL	W/-W/O AC, Requires 6 Groove Pulley, Wrenches available/suggested for removal/retorquing harmonic balancer bolt, Part# VFL23WR-1 & VFL23WR-2. These Are Sold Separately. Vortec 92 Style Alternator.
VFLMK27FTAN-6-7.5	2019-2022	2500-4500 SPRINTER	3.0		V6 DIESEL	W/-W/O AC, Requires 6 Groove Pulley, Wrenches available/suggested for removal/retorquing harmonic balancer bolt, Part# VFL23WR-1 & VFL23WR-2. These Are Sold Separately. Ford FTAN Style Alternator.



KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
INTERNATIONAL MEDIUM DUTY TRUCKS						
IMK3392V-I8	2016-2024	4300-4400 DURASTAR	6.7		CUMMINS ISB	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
IMK33L3S-I8	2016-2024	4300-4400 DURASTAR	6.7		CUMMINS ISB	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
IMK3492V-I8	2025-2026	MV607	6.7		CUMMINS ISB / I6 DIESEL	For use with AC / Requires 8 Groove Pulley / WITHOUT OEM Dual Alternators, For use w/ Vortec 92V Alternator
IMK41L3S-2	1973-1988	S 1800-2600	7.6	466	I6 DIESEL / DT466	FOR USE WO AC / W-WO AIR COMPRESSOR / REQUIRES DUAL V PULLEY
IMK47L3S-I8	1994-2001	4700-4900	6.7 / 7.6	408 / 466	I6 DIESEL / DT408 / DT466	FOR USE W-WO AC / W-WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY
IMK48L3S-I8	2002-2004	4300-4400	7.6	466	I6 DIESEL / DT466	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
IMK48J180-I8	2002-2004	4300-4400	7.6	466	I6 DIESEL / DT466	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
IMK4992V-I8	2005-2007	4300-4400	7.6 / 8.7	466 / 530	I6 DIESEL / DT466 / DT530	FOR USE W / AC / REQUIRES 8 GROOVE PULLEY
IMK49L3S-I8	2005-2007	4300-4400	7.6 / 8.7	466 / 530	I6 DIESEL / DT466 / DT530	FOR USE W / AC / REQUIRES 8 GROOVE PULLEY
IMK5392V-8	2008-2010	4300-4400	7.6	466	I6 DIESEL / MAXXFORCE DT / DT466	FOR USE W-WO AC / 245 HP AND UNDER ONLY / WO AIR RELEASE FAN CLUTCH / REQUIRES 8 GROOVE PULLEY / Sending photos of engine compartment is suggested.
IMK53L3S-8	2008-2010	4300-4400	7.6	466	I6 DIESEL / MAXXFORCE DT / DT466	FOR USE W-WO AC / 245 HP AND UNDER ONLY / WO AIR RELEASE FAN CLUTCH / REQUIRES 8 GROOVE PULLEY / Sending photos of engine compartment is suggested.
IMK53J180-8	2008-2010	4300-4400	7.6	466	I6 DIESEL / MAXXFORCE DT / DT466	FOR USE W-WO AC / 245 HP AND UNDER ONLY / WO AIR RELEASE FAN CLUTCH / REQUIRES 8 GROOVE PULLEY / Sending photos of engine compartment is suggested.
IMK5492V-8	2011-2016	4300-4400	7.6		DT466	For use W-WO AC / Requires 8 Groove Pulley / For use with Viscous Clutch / Sending photos of engine compartment is suggested.
IMK5492V-8ARC	2011-2016	4300-4400	7.6		DT466	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / FOR USE WITH AIR RELEASE CLUTCH / SENDING PHOTOS OF ENGINE COMPARTMENT IS SUGGESTED
IMK6092V-I8	2016-2024	7000 SERIES WORKSTAR	6.7		CUMMINS ISB	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
IMK6492V-8	2008-2017 2011-2017	DURA STAR TERRA STAR	6.4	390	V8 DIESEL / MAXXFORCE 7	FOR USE W-WO AC / WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY
IMK64L3S-8	2008-2017 2011-2017	DURA STAR TERRA STAR	6.4	390	V8 DIESEL / MAXXFORCE 7	FOR USE W-WO AC / WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY
IMK64J180-8	2008-2017 2011-2017	DURA STAR TERRA STAR	6.4	390	V8 DIESEL / MAXXFORCE 7	FOR USE W-WO AC / WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
ISUZU MEDIUM DUTY TRUCKS						
SMK3492V-8	1999-2010	N-SERIES	4.7 / 5.2		I4 DIESEL	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
SMK34L3S-8	1999-2010	N-SERIES	4.7 / 5.2		I4 DIESEL	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
SMK23092V-8	2011-2023	NPRHD / NQR / NRR	5.2		I4 DIESEL	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
SMK3892V-I6	2003-2020	N-SERIES	6.0	366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
SMK3992V-I6	2021-2026	NPR / NPR HD	6.6		V8 GAS	For use With A/C, Without Dual Alternators, Requires 6-Groove Pulley, For use w/ Vortec 92V Alternator
2024-2026	NQR / NRR					
MERCEDES VANS						
VFLMK2392V-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23HPI-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23J180-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23L2S-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23L3S-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23TM-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY, For use with M.E.P.S. TM Alternator.
VFLMK25TM-6-7.5	2019-2022	2500-4500 SPRINTER	3.0	183	V6 DIESEL	W/-W/O AC, Requires 6 Groove 7.5" Diameter Pulley, Wrenches are Available & Suggested for Removal & Retorquing Harmonic Balancer Bolt, Part# VFL23WR-1 & VFL23WR-2. (Wrenches Sold Separately).
VFLMK2692V-6-7.5	2021-2022	2500-4500 SPRINTER	2.0		14 DIESEL	For use W-WO AC. Without Mercedes-Benz N62/N63 options. Requires 6 Groove Pulley. For use w/ Vortec 92V Style Alternator. Wrenches available & suggested for removal/retorquing harmonic balancer bolts. Part# VFL26WR-1 & VFL26WR-2 (sold separately).
VFLMK27J180-6-7.5	2019-2022	2500-4500 SPRINTER	3.0		V6 DIESEL	W/-W/O AC, Requires 6 Groove Pulley, Wrenches are Available and Suggested for Removal and Retorquing Harmonic Balancer Bolt, Part# VFL23WR-1 & VFL23WR-2. These Are Sold Separately. Without Mercedes-Benz N62 or N63 Options. J180 Style Alternator.
VFLMK2792V-6-7.5	2019-2022	2500-4500 SPRINTER	3.0		V6 DIESEL	W/-W/O AC, Requires 6 Groove Pulley, Wrenches are Available and Suggested for Removal and Retorquing Harmonic Balancer Bolt, Part# VFL23WR-1 & VFL23WR-2. These Are Sold Separately. Without Mercedes-Benz N62 or N63 Options. Vortec 92 Style Alternator.
VFLMK27FTAN-6-7.5	2019-2022	2500-4500 SPRINTER	3.0		V6 DIESEL	W/-W/O AC, Requires 6 Groove Pulley, Wrenches are Available and Suggested for Removal and Retorquing Harmonic Balancer Bolt, Part# VFL23WR-1 & VFL23WR-2. These Are Sold Separately. Without Mercedes-Benz N62 or N63 Options. Ford FTAN Style Alternator.
VMK2092V-6	2023-2025	2500-4500 SPRINTER	2.0		14 DIESEL	For use W-WO AC. Without Mercedes-Benz N62/N63 options. Requires 6 Groove, 2" Pulley. For use w/ Vortec 92V Style Alternator. Wrench is available & suggested for removal/retorquing crank pulley bolts bolts. Part# VM20WR-1. (Sold Separately).
NISSAN VANS						
NMK5092V-I7	2011-2016	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
NMK50L3S-I7	2011-2016	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
NMK50J180-I7	2011-2016	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W/AC / REQUIRES 8 GROOVE PULLEY
NMK5392V-6	2017-2021	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
NMK53J180-6	2017-2021	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
NMK53L3S-6	2017-2021	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY