



ALTERNATOR KITS

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
CHEVY & GMC PICKUPS						
CMK3792V-I6	1996-2000	C&K1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W/ AC / REQUIRES 6 GROOVE PULLEY
CMK37L3S-8	1996-2000	C&K 1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
CMK37J180-8	1996-2000	C&K 1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
CMK3892V-I6	1999-2010 2000-2014	SILVERADO 1500-3500 TAHOE, SUBURBAN	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK38L3S-I6	1999-2010 2000-2014	SILVERADO 1500-3500 TAHOE, SUBURBAN	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK38J180-I6	1999-2010 2000-2014	SILVERADO 1500-3500 TAHOE, SUBURBAN	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK3992V-I6	2011-2013 2011-2019	SILVERADO 1500 SILVERADO 2500-3500	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK39L3S-I6	2011-2013 2011-2019	SILVERADO 1500 SILVERADO 2500-3500	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK39J180-I6	2011-2013 2011-2019	SILVERADO 1500 SILVERADO 2500-3500	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK13092V-I6	2014-2019 2015-2019	SILVERADO 1500 ONLY YUKON, TAHOE, SUBURBAN 1500	4.8 / 5.3	293 / 325	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK13192V-I6	2014-2019	SILVERADO / SIERRA 1500	4.3		V6 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK13292V-I6	2020-2021	SILVERADO / SIERRA 1500	5.3		V8 GAS	FOR USE W/ AC / WO DUAL ALT / Requires 6 Groove Pulley
CMK47L3S-8	2001-2002	C&K 3500HD	8.1	496	V8 GAS	FOR USE W-WO AC / WO DUAL ALT / REQUIRES 8 GROOVE CLUTCH / O.E.M. ALT SHOULD BE ON PASSENGER SIDE
CMK4892V-I6	2001-2006 2003-2006	C&K 2500HD-3500 C&K 3500HD	8.1	496	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / O.E.M. ALT SHOULD BE ON DRIVERS SIDE
CMK4892V-8	2001-2006 2003-2006	C&K 2500HD-3500 C&K 3500HD	8.1	496	V8 GAS	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / O.E.M. ALT SHOULD BE ON DRIVERS SIDE
CMK48L3S-8	2001-2006 2003-2006	C&K 2500HD-3500 C&K 3500HD	8.1	496	V8 GAS	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / O.E.M. ALT SHOULD BE ON DRIVERS SIDE
CMK6992V-I6	2001-2010 2003-2010	2500HD-3500 3500HD	6.6	403	V8 DIESEL / DURAMAX	FOR USE W/ AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY
CMK69L3S-I6	2001-2010 2003-2010	2500HD-3500 3500HD	6.6	403	V8 DIESEL / DURAMAX	FOR USE W/ AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY
CMK69J180-I6	2001-2010 2003-2010	2500HD-3500 3500HD	6.6	403	V8 DIESEL / DURAMAX	FOR USE W/ AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY
CMK26092V-I6	2011-2016	2500HD-3500HD	6.6	403	V8 DIESEL / DURAMAX	FOR USE W-WO AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY
CHEVY & GMC MEDIUM DUTY TRUCKS						
CMK47L3S-8	2003-2009	C 4500-5500 / TOPKICK / KODIAK	8.1	496	V8 GAS	FOR USE W-WO AC / WO DUAL ALT / REQUIRES 8 PULLEY
CMK55L3S-6	2006-2009	C 6500-8500 / TOPKICK / KODIAK	8.1	496	V8 GAS	FOR USE W-WO AC / W-WO AIR COMPRESSOR / REQUIRES 6 GROOVE PULLEY
CMK73L3S-2M	1990-2002	C 65-75 / TOPKICK / KODIAK	7.2	442	I6 DIESEL / CAT 3116 / 3126	FOR USE W-WO AC / W-WO AIR COMPRESSOR / REQUIRES DUAL V PULLEY
CMK7492V-I8	2004-2009	6500-7500 / TOPKICK / KODIAK	7.2	442	I6 DIESEL / C7 CAT	FOR USE W/ AC / W/ Four Bolt Alt / Requires 8 Groove Pulley



ALTERNATOR KITS

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
CMK74L3S-I8	2004-2009	6500-7500 / TOPKICK / KODIAK	7.2	442	I6 DIESEL / C7 CAT	FOR USE W/ AC / W/ Four Bolt Alt / Requires 8 Groove Pulley
CMK74J180-I8	2004-2009	6500-7500 / TOPKICK / KODIAK	7.2	442	I6 DIESEL / C7 CAT	For Use W/ AC / W/ Four Bolt Alt / Requires 8 Groove Pulley
CMK86L3S-8-7.5	BUILD DATE 01/04-2009	C 4500-5500 / TOPKICK / KODIAK	6.6	403	V8 DIESEL / DURAMAX	FOR USE W-WO AC AND W-WO DUAL ALT. / REQUIRES 8 GROOVE PULLEY / INCLUDES 7.5" DRIVE PULLEY
CMK86J180-8	BUILD DATE 01/04-2009	C 4500-5500 / TOPKICK / KODIAK	6.6	403	V8 DIESEL / DURAMAX	FOR USE W-WO AC AND W-WO DUAL ALT. / REQUIRES 8 GROOVE PULLEY
SMK3492V-8	1999-2009	W 4500-5500	4.7 / 5.2		I4 DIESEL	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
SMK34L3S-8	1999-2009	W 4500-5500	4.7 / 5.2		I4 DIESEL	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
SMK3892V-I6	2003-2009 2016-2020	3500-5500 3500-5500	6.0	366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
SMK3992V-I6	2021	LCF 3500-4500	6.6		V8 GAS	For use With A/C, Without Dual Alternators, Requires 6-Groove Pulley, For use w/ Vortec 92V Alternator

CHEVY & GMC VANS

CMK3792V-I6	1997-2002	G 1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W/ AC / REQUIRES 6 GROOVE PULLEY
CMK37L3S-8	1997-2002	G 1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
CMK37J180-8	1997-2002	G 1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
VCK3892V-I6	2003-2005	G 1500-3500	4.8 / 5.3 / 6.0	293 / 325 / 364	V8 GAS	For Use W-WO AC / WO EGR Valve / Requires 6 Groove Pulley
VCK3992V-I6	2006-2020	G 1500-3500	4.8 / 5.3 / 6.0	293 / 325 / 364	V8 GAS	FOR USE W-WO AC/WO EGR VALVE/Requires 6 Groove Pulley
VCK39L3S-6	2003-2020	G 1500-3500	4.8 / 5.3 / 6.0	293 / 325 / 364	V8 GAS	FOR USE W-WO AC/ WO EGR VALVE/Requires 6 Groove Pulley
VCK39J180-6	2003-2020	G 1500-3500	4.8 / 5.3 / 6.0	293 / 325 / 364	V8 GAS	FOR USE W-WO AC/ WO EGR VALVE/Requires 6 Groove Pulley

DODGE PICKUPS

DMK35L3S-2	1992-2001 1993-1999	D 150-350 D 150-350 W/O AIR PUMP	5.2 5.9	318 360	V8 GAS	FOR USE W-WO AC / REQUIRES DUAL V PULLEY
DMK38J180-2	2000-2002	1500-3500	5.9	360	V8 GAS	FOR USE W-WO AC / W/ A.I.R. PUMP / Requires Dual V Pulley
DMK3992V-I8	2003-2008	2500-3500	5.7	345	V8 GAS / HEMI	FOR USE W/ AC / WO EGR VALVE / REQUIRES 8 GROOVE PULLEY, USES 7 GROOVE BELT
DMK39L3S-I8	2003-2008	2500-3500	5.7	345	V8 GAS / HEMI	FOR USE W/ AC / WO EGR VALVE / REQUIRES 8 GROOVE PULLEY, USES 7 GROOVE BELT
DMK4092V-6	2009-2019	2500-3500	5.7	345	V8 GAS / HEMI	FOR USE W-WO AC / WO EGR VALVE / REQUIRES 6 GROOVE PULLEY / Heat gun for washer tank modification required for 2009 models.
DMK40L3S-6	2009-2019	2500-3500	5.7	345	V8 GAS / HEMI	FOR USE W-WO AC / WO EGR VALVE / REQUIRES 6 GROOVE PULLEY / Heat gun for washer tank modification required for 2009 models.
DMK40J180-6	2009-2019	2500-3500	5.7	345	V8 GAS / HEMI	FOR USE W-WO AC / WO EGR VALVE / REQUIRES 6 GROOVE PULLEY / Heat gun for washer tank modification required for 2009 models.
DMK54L3S-8	1998-2002	2500-3500	5.9	359	I6 DIESEL / CUMMINS / 24 VALVE	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK54J180-8	1998-2002	2500-3500	5.9	359	I6 DIESEL / CUMMINS / 24 VALVE	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK55L3S-I8	2003-2007	2500-3500	5.9	359	I6 DIESEL / CUMMINS / 24 VALVE	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK5792V-I8	2007-2010	2500-3500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK57L3S-I8	2007-2010	2500-3500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK57J180-I8	2007-2010	2500-3500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY



ALTERNATOR KITS

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
DMK5892V-I8	2011-2012	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / FOR USE WO REMOTE MOUNTED POWER STEERING RESERVOIR / FOR USE WO DUAL ALTERNATOR / NOT FOR USE ON 2012 OR LATER MODELS WITH AUTOMATIC TRANSMISSION / REQUIRES 8 GROOVE PULLEY
DMK58L3S-I8	2011-2012	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / FOR USE WO REMOTE MOUNTED POWER STEERING RESERVOIR / FOR USE WO DUAL ALTERNATOR / NOT FOR USE ON 2012 OR LATER MODELS WITH AUTOMATIC TRANSMISSION / REQUIRES 8 GROOVE PULLEY
DMK58J180-I8	2011-2012	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / FOR USE WO REMOTE MOUNTED POWER STEERING RESERVOIR / FOR USE WO DUAL ALTERNATOR / NOT FOR USE ON 2012 OR LATER MODELS WITH AUTOMATIC TRANSMISSION / REQUIRES 8 GROOVE PULLEY
DMK5892V-I8AT	2012-2013	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / FOR USE WITH 2013 MODELS WITH DIRECT MOUNTED POWER STEERING RESERVOIR ONLY / REQUIRES 8 GROOVE PULLEY
DMK58L3S-I8AT	2012-2013	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / FOR USE WITH 2013 MODELS WITH DIRECT MOUNTED POWER STEERING RESERVOIR ONLY / REQUIRES 8 GROOVE PULLEY
DMK58J180-I8AT	2012-2013	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / FOR USE WITH 2013 MODELS WITH DIRECT MOUNTED POWER STEERING RESERVOIR ONLY / REQUIRES 8 GROOVE PULLEY
DMK5992V-I8	2013-2018	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W / AC / FOR USE WITH 2013 MODELS WITH REMOTE MOUNTED POWER STEERING RESERVOIR ONLY / FOR USE WO DUAL ALTERNATOR / REQUIRES 8 GROOVE CLUTCH
RMK6092V-I8	2019-2021	2500-5500	6.7		I6 DIESEL / CUMMINS	FOR USE WITH AC / W/O DUAL ALTERNATORS / REQUIRES 8 GROOVE PULLEY
DMK6292V-I8	1994-2003	2500-3500	8.0	488	V10 GAS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK62L3S-I8	1994-2003	2500-3500	8.0	488	V10 GAS	FOR USE W/AC / REQUIRES 8 GROOVE PULLEY
DMK6392V-6	2014-2018	2500-5500	6.4		V8 GAS / HEMI	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 6 GROOVE PULLEY

DODGE VANS

VFLMK2392V-6	2007-2009	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23L3S-6	2007-2009	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23J180-6	2007-2009	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VDK3092V-6	2014-2021	RAM PROMASTER	3.6		V6 PENTASTAR	FOR USE W/A/C / REQUIRES 6-GROOVE PULLEY



ALTERNATOR KITS

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
FORD PICKUPS						
FMK36L3S-2	1988-1997	F 150-350	5.0 / 5.8	302 / 351	V8 GAS	FOR USE W-WO AC / REQUIRES DUAL V PULLEY
FMK4692V-6	1999-2004	F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
FMK4692V-8	1999-2004	F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
FMK46L3S-8	1999-2004	F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
FMK46J180-8	1999-2004	F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
FMK46L3S-8SB	1999-2004	F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / KIT SUPPLIED W/ BEARING SUPPORT
FMK46J180-8SB	1999-2004	F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / KIT SUPPLIED W/ BEARING SUPPORT
FMK4792V-16	2005-2010 2005-2016	F 250-550 SUPER DUTY F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W/ AC / REQUIRES 6 GROOVE PULLEY
FMK47L3S-8	2005-2010 2005-2016	F 250-550 SUPER DUTY F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / IF INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLE WILL NEED TO BE PURCHASED FROM FORD PART#7L3Z-6312-A
FMK47J180-8	2005-2010 2005-2016	F 250-550 SUPER DUTY F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / IF INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLE WILL NEED TO BE PURCHASED FROM FORD PART#7L3Z-6312-A
FMK47L3S-8SB	2005-2010 2005-2016	F 250-550 SUPER DUTY F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / IF INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLE WILL NEED TO BE PURCHASED Part#7L3Z-6312-A / Kit Supplied w/ Bearing Support
FMK47J180-8SB	2005-2010 2005-2016	F 250-550 SUPER DUTY F 250-550 SUPER DUTY	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / IF INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLE WILL NEED TO BE PURCHASED Part#7L3Z-6312-A / Kit Supplied w/ Bearing Support
FMK24092V-8	2017-2019	F 450-550 SUPER DUTY	6.8		V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
FMK48L3S-8WP	2011-2016	F 250-350 SUPER DUTY	6.2	378	V8 GAS / TRITON	For use W-WO AC / Kit comes with 6.8L water pump & adapter for replacement to prevent water pump failure/Requires 8 Groove Pulley
FMK4892V-8WP	2011-2016	F 250-350 SUPER DUTY	6.2	378	V8 GAS / TRITON	For use W-WO AC / Kit comes with 6.8L water pump & adapter for replacement to prevent water pump failure/Requires 8 Groove Pulley
FMK6692V-8	1999-2003	F 250-550 SUPER DUTY	7.3	444	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / W-WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK66L3S-8	1999-2003	F 250-550 SUPER DUTY	7.3	444	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / W-WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK66J180-8	1999-2003	F 250-550 SUPER DUTY	7.3	444	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / W-WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK6892V-18	2003-2007	F 250-550 SUPER DUTY	6.0	365	V8 DIESEL / POWERSTROKE	FOR USE W/ AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY



ALTERNATOR KITS

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
FMK6892V-8	2003-2007	F 250-550 SUPER DUTY	6.0	365	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK68L3S-8	2003-2007	F 250-550 SUPER DUTY	6.0	365	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK68J180-8	2003-2007	F 250-550 SUPER DUTY	6.0	365	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK26092V-18	2008-2010	F 250-550 SUPER DUTY	6.4	390	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK260L3S-8	2008-2010	F 250-550 SUPER DUTY	6.4	390	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK260J180-8	2008-2010	F 250-550 SUPER DUTY	6.4	390	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK26192V-8	2011	F 250-550 SUPER DUTY	6.7	409	V8 DIESEL / SCORPION	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK26492V-8	2012-2020	F 250-550 SUPER DUTY	6.7	409	V8 DIESEL / SCORPION	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK26592V-8	2017-2020	F 250-550 SUPER DUTY	6.7	409	V8 DIESEL / SCORPION	FOR USE W / AC / W/ DUAL ALTERNATOR ONLY / REQUIRES 8 GROOVE PULLEY**THIS WILL NOT WORK ON TRUCKS EQUIPPED WITH ADAPTIVE STEERING**

FORD MEDIUM DUTY TRUCKS

FMK9392V-18	2003-2009	F 650-750	7.2	442	I6 DIESEL / C7 CAT	FOR USE W/ AC / W-WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY
FMK93L3S-18	2003-2009	F 650-750	7.2	442	I6 DIESEL / C7 CAT	FOR USE W/ AC / W-WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY
FMK93J180-18	2003-2009	F 650-750	7.2	442	I6 DIESEL / C7 CAT	FOR USE W/ AC / W-WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY

FORD VANS

FMK4692V-6	1997-2016	E 150-450	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / IF INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLES WILL NEED TO BE PURCHASED FROM FORD PART#7L3Z-6312-A / REQUIRES 6 GROOVE PULLEY
FMK4692V-8	1997-2019	E 150-450	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / IF INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLES WILL NEED TO BE PURCHASED FROM FORD PART#7L3Z-6312-A / REQUIRES 8 GROOVE PULLEY
FMK46L3S-8	1997-2019	E 150-450	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / IF INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLES WILL NEED TO BE PURCHASED FROM FORD PART#7L3Z-6312-A / REQUIRES 8 GROOVE PULLEY
FMK46J180-8	1997-2019	E 150-450	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / IF INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLES WILL NEED TO BE PURCHASED FROM FORD PART#7L3Z-6312-A / REQUIRES 8 GROOVE PULLEY



ALTERNATOR KITS

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
FMK46L3S-8SB	1997-2016	E 150-450	5.4	330	V8 GAS / TRITON	FOR USE W-WO AC / IF INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLES WILL NEED TO BE PURCHASED FROM FORD PART#7L3Z-6312-A / REQUIRES 8 GROOVE PULLEY / KIT SUPPLIED W/ BEARING SUPPORT
			6.8	415	V10 GAS / TRITON	
FMK46J180-8SB	1997-2016	E 150-450	5.4	330	V8 GAS / TRITON	FOR USE W-WO AC / IF INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLES WILL NEED TO BE PURCHASED FROM FORD PART#7L3Z-6312-A / REQUIRES 8 GROOVE PULLEY / KIT SUPPLIED W/ BEARING SUPPORT
			6.8	415	V10 GAS / TRITON	
VFK36L3S-I7	2015-2019	TRANSIT	3.2		DIESEL	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
VFK36J180-I7	2015-2019	TRANSIT	3.2		DIESEL	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
VFK39L3S-6	2015-2019	TRANSIT	3.7		GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES AVAILABLE AND SUGGESTED FOR REMOVAL AND RETORQUING OF HARMONIC BALANCER BOLTS / PART # VF39WR-1 AND VF39WR-2, WRENCHES SOLD SEPARATELY
VFK39J180-6	2015-2019	TRANSIT	3.7		GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES AVAILABLE AND SUGGESTED FOR REMOVAL AND RETORQUING OF HARMONIC BALANCER BOLTS / PART # VF39WR-1 & VF39WR-2, Wrenches Sold Separately
VFK130J180-6	2020-2021	TRANSIT	3.5		GAS PFDI V6	w/ A/C, w/o Dual Alt., w/-w/o AWD, Requires 6-Groove Pulley

FREIGHTLINER MEDIUM DUTY TRUCKS

FLMK70L3S-8	2010-2021	M2	6.7		CUMMINS ISB DIESEL	For use W-WO AC / Requires 8 Groove Pulley / Will NOT work on 2019-2021 models with air release fan clutch.
FLMK8092V-18	2015-2021	M2 BUSINESS CLASS	8.9		CUMMINS ISL DIESEL	REQUIRES 8 GROOVE PULLEY
FLMK91L3S-2	1999-2002	FL 60-70	7.2		3126 CAT I6 DIESEL	Requires a Dual-V Pulley, w/-w/o A/C, w/-w/o Air Brakes

FREIGHTLINER VANS

VFLMK2392V-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23L3S-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23J180-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK2592V-6	2019-2021	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR W/-W/O AC, Requires 6 Groove Pulley, Wrenches are Available and Suggested for Removal and Retorquing Harmonic Balancer Bolt, Part# VFL23WR-1 & VFL23WR-2. Sold Separately.
						FOR W/-W/O AC, Requires 6 Groove Pulley, Wrenches are Available and Suggested for Removal and Retorquing Harmonic Balancer Bolt, Part# VFL23WR-1 & VFL23WR-2. Sold Separately.
VFLMK25L3S-6	2019-2021	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR W/-W/O AC, Requires 6 Groove Pulley, Wrenches are Available and Suggested for Removal and Retorquing Harmonic Balancer Bolt, Part# VFL23WR-1 & VFL23WR-2. Sold Separately.
						FOR W/-W/O AC, Requires 6 Groove Pulley, Wrenches are Available and Suggested for Removal and Retorquing Harmonic Balancer Bolt, Part# VFL23WR-1 & VFL23WR-2. Sold Separately.
VFLMK25J180-6	2019-2021	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR W/-W/O AC, Requires 6 Groove Pulley, Wrenches are Available and Suggested for Removal and Retorquing Harmonic Balancer Bolt, Part# VFL23WR-1 & VFL23WR-2. Sold Separately.



ALTERNATOR KITS

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
INTERNATIONAL MEDIUM DUTY TRUCKS						
IMK3392V-18	2016-2020	4300-4400 DURASTAR	6.7		CUMMINS ISB	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
IMK33L3S-18	2016-2020	4300-4400 DURASTAR	6.7		CUMMINS ISB	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
IMK41L3S-2	1973-1988	S 1800-2600	7.6	466	I6 DIESEL / DT466	FOR USE WO AC / W-WO AIR COMPRESSOR / REQUIRES DUAL V PULLEY
IMK47L3S-18	1994-2001	4700-4900	6.7 / 7.6	408 / 466	I6 DIESEL / DT408 / DT466	FOR USE W-WO AC / W-WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY
IMK48L3S-18	2002-2004	4300-4400	7.6	466	I6 DIESEL / DT466	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
IMK48J180-18	2002-2004	4300-4400	7.6	466	I6 DIESEL / DT466	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
IMK4992V-18	2005-2007	4300-4400	7.6 / 8.7	466 / 530	I6 DIESEL / DT466 / DT530	FOR USE W / AC / REQUIRES 8 GROOVE PULLEY
IMK49L3S-18	2005-2007	4300-4400	7.6 / 8.7	466 / 530	I6 DIESEL / DT466 / DT530	FOR USE W / AC / REQUIRES 8 GROOVE PULLEY
IMK5392V-8	2008-2010	4300-4400	7.6	466	I6 DIESEL / MAXXFORCE DT / DT466	FOR USE W-WO AC / 245 HP AND UNDER ONLY / WO AIR RELEASE FAN CLUTCH / REQUIRES 8 GROOVE PULLEY / Sending photos of engine compartment is suggested.
IMK53L3S-8	2008-2010	4300-4400	7.6	466	I6 DIESEL / MAXXFORCE DT / DT466	FOR USE W-WO AC / 245 HP AND UNDER ONLY / WO AIR RELEASE FAN CLUTCH / REQUIRES 8 GROOVE PULLEY / Sending photos of engine compartment is suggested.
IMK53J180-8	2008-2010	4300-4400	7.6	466	I6 DIESEL / MAXXFORCE DT / DT466	FOR USE W-WO AC / 245 HP AND UNDER ONLY / WO AIR RELEASE FAN CLUTCH / REQUIRES 8 GROOVE PULLEY / Sending photos of engine compartment is suggested.
IMK5492V-8	2011-2016	4300-4400	7.6		DT466	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / FOR USE WITH VISCOUS CLUTCH / SENDING PHOTOS OF ENGINE COMPARTMENT IS SUGGESTED
IMK5492V-8ARC	2011-2016	4300-4400	7.6		DT466	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / FOR USE WITH AIR RELEASE CLUTCH / SENDING PHOTOS OF ENGINE COMPARTMENT IS SUGGESTED
IMK6092V-18	2016-2020	7000 SERIES WORKSTAR	6.7		CUMMINS ISB	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
IMK62J180-18	1994-2002	4700-4900	7.3	444	V8 DIESEL	FOR USE W-WO AC / WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY
IMK6392V-8	2003-2007	4200	6.0	365	V8 DIESEL / VT365	FOR USE W-WO AC / WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY
IMK63L3S-8	2003-2007	4200	6.0	365	V8 DIESEL / VT365	FOR USE W-WO AC / WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY
IMK6492V-8	2008-2016 2011-2016	DURA STAR TERRA STAR	6.4	390	V8 DIESEL / MAXXFORCE 7	FOR USE W-WO AC / WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY
IMK64L3S-8	2008-2016 2011-2016	DURA STAR TERRA STAR	6.4	390	V8 DIESEL / MAXXFORCE 7	FOR USE W-WO AC / WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY
IMK64J180-8	2008-2016 2011-2016	DURA STAR TERRA STAR	6.4	390	V8 DIESEL / MAXXFORCE 7	FOR USE W-WO AC / WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY



ALTERNATOR KITS

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
ISUZU MEDIUM DUTY TRUCKS						
SMK3492V-8	1999-2010	N-SERIES	4.7 / 5.2		I4 DIESEL	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
SMK34L3S-8	1999-2010	N-SERIES	4.7 / 5.2		I4 DIESEL	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
SMK23092V-8	2011-2020	NPRHD / NQR / NRR	5.2		I4 DIESEL	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
SMK3892V-I6	2003-2020	N-SERIES	6.0	366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
SMK3992V-I6	2021	NPR-NPR-HD	6.6		V8 GAS	For use With A/C, Without Dual Alternators, Requires 6-Groove Pulley, For use w/ Vortec 92V Alternator

NISSAN VANS

NMK5092V-I7	2011-2016	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
NMK50L3S-I7	2011-2016	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
NMK50J180-I7	2011-2016	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W/AC / REQUIRES 8 GROOVE PULLEY
NMK5392V-6	2017-2021	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
NMK53J180-6	2017-2021	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
NMK53L3S-6	2017-2021	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY