



ALTERNATOR KITS

CW Mill Equipment Co., Inc
 14 Commerce Drive Sabetha, KS 66534
 Phone: (785) 284-3454
 Fax: (785) 284-3601
 Email: brackets@cwmill.com
 Website: www.cwkits.com

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
CHEVY & GMC PICKUPS						
CMK3792V-I6	1996-2000	C&K1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W/ AC / REQUIRES 6 GROOVE PULLEY
CMK37L3S-8	1996-2000	C&K 1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
CMK37J180-8	1996-2000	C&K 1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
CMK3892V-I6	1999-2010 2000-2014	SILVERADO 1500-3500 TAHOE, SUBURBAN	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK38L3S-I6	1999-2010 2000-2014	SILVERADO 1500-3500 TAHOE, SUBURBAN	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK38J180-I6	1999-2010 2000-2014	SILVERADO 1500-3500 TAHOE, SUBURBAN	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK3992V-I6	2011-2013 2011-2019	SILVERADO 1500 SILVERADO 2500-3500	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK39L3S-I6	2011-2013 2011-2019	SILVERADO 1500 SILVERADO 2500-3500	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK39J180-I6	2011-2013 2011-2019	SILVERADO 1500 SILVERADO 2500-3500	4.8 / 5.3 / 6.0	293 / 325 / 366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK13092V-I6	2014-2019 2015-2019	SILVERADO 1500 ONLY YUKON, TAHOE, SUBURBAN 1500	4.8 / 5.3	293 / 325	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK13192V-I6	2014-2019	SILVERADO 1500	4.3		V6 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
CMK13492V-6-7.5	2020-2026	SILVERADO 1500	5.3		V8 GAS	FOR USE W/ AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY
CMK13292V-I6	2020-2024	SILVERADO 1500	5.3		V8 GAS	FOR USE W/AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY / **SEE INSTALLATION SHEETS FOR 2020 AND NEWER REGARDING WATER PUMP**
CMK14092V-I6	2020-2025	2500HD-3500HD	6.6		V8 GAS	FOR USE W-WO AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY
CMK140TM-I6	2020-2025	2500HD-3500HD	6.6		V8 GAS	FOR USE W-WO AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY
CMK47L3S-8	2001-2002	C&K 3500HD	8.1	496	V8 GAS	FOR USE W-WO AC / WO DUAL ALT / REQUIRES 8 GROOVE CLUTCH / O.E.M. ALT SHOULD BE ON PASSENGER SIDE
CMK4892V-8	2001-2006 2003-2006	C&K 2500HD-3500 C&K 3500HD	8.1	496	V8 GAS	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / O.E.M. ALT SHOULD BE ON DRIVERS SIDE
CMK48L3S-8	2001-2006 2003-2006	C&K 2500HD-3500 C&K 3500HD	8.1	496	V8 GAS	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / O.E.M. ALT SHOULD BE ON DRIVERS SIDE
CMK6992V-I6	2001-2010 2003-2010	2500HD-3500 3500HD	6.6	403	V8 DIESEL / DURAMAX	FOR USE W/ AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY
CMK69L3S-I6	2001-2010 2003-2010	2500HD-3500 3500HD	6.6	403	V8 DIESEL / DURAMAX	FOR USE W/ AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY
CMK69J180-I6	2001-2010 2003-2010	2500HD-3500 3500HD	6.6	403	V8 DIESEL / DURAMAX	FOR USE W/ AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY
CMK26092V-I6	2011-2016	2500HD-3500HD	6.6	403	V8 DIESEL / DURAMAX	FOR USE W-WO AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY



ALTERNATOR KITS

CW Mill Equipment Co., Inc
 14 Commerce Drive Sabetha, KS 66534
 Phone: (785) 284-3454
 Fax: (785) 284-3601
 Email: brackets@cwmill.com
 Website: www.cwkits.com

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
CHEVY & GMC MEDIUM DUTY TRUCKS						
CMK47L3S-8	2003-2009	C 4500-5500 / TOPKICK / KODIAK	8.1	496	V8 GAS	FOR USE W-WO AC / WO DUAL ALT / REQUIRES 8 PULLEY
CMK55L3S-6	2006-2009	C 6500-8500 / TOPKICK / KODIAK	8.1	496	V8 GAS	FOR USE W-WO AC / W-WO AIR COMPRESSOR / REQUIRES 6 GROOVE PULLEY
CMK86L3S-8-7.5	BUILD DATE 01/04-2009	C 4500-5500 / TOPKICK / KODIAK	6.6	403	V8 DIESEL / DURAMAX	FOR USE W-WO AC AND W-WO DUAL ALT. / REQUIRES 8 GROOVE PULLEY / INCLUDES 7.5" DRIVE PULLEY
CMK86J180-8	BUILD DATE 01/04-2009	C 4500-5500 / TOPKICK / KODIAK	6.6	403	V8 DIESEL / DURAMAX	FOR USE W-WO AC AND W-WO DUAL ALT. / REQUIRES 8 GROOVE PULLEY
SMK3492V-8	1999-2009	W 4500-5500	4.7 / 5.2		I4 DIESEL	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
SMK34L3S-8	1999-2009	W 4500-5500	4.7 / 5.2		I4 DIESEL	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
SMK3892V-I6	2003-2009 2016-2020	3500-5500 3500-5500	6.0	366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
SMK3992V-I6	2021-2026	LCF 3500-5500	6.6		V8 GAS	FOR USE W/AC/ WO DUAL ALT / REQUIRES 6 GROOVE PULLEY
SMK23092V-8	2016-2026	LCF 3500-5500	5.2		I4 DIESEL	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
CHEVY & GMC VANS						
CMK3792V-I6	1997-2002	G 1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W/ AC / REQUIRES 6 GROOVE PULLEY
CMK37L3S-8	1997-2002	G 1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
CMK37J180-8	1997-2002	G 1500-3500	5.0 / 5.7	305 / 350	V8 GAS	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
VCK3892V-I6	2003-2005	G 1500-3500	4.8 / 5.3 / 6.0	293 / 325 / 364	V8 GAS	FOR USE W-WO AC / WO EGR VALVE / REQUIRES 6 GROOVE PULLEY
VCK3992V-I6	2006-2020	G 1500-3500	4.8 / 5.3 / 6.0	293 / 325 / 364	V8 GAS	FOR USE W-WO AC / WO EGR VALVE / REQUIRES 6 GROOVE PULLEY
VCK39L3S-6	2003-2020	G 1500-3500	4.8 / 5.3 / 6.0	293 / 325 / 364	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VCK39J180-6	2003-2020	G 1500-3500	4.8 / 5.3 / 6.0	293 / 325 / 364	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VCK4092V-I6	2018-2025	G 2500-3500 EXPRESS	4.3		V6 GAS	FOR USE W-WO AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY
VCK4092V-I6CA	2018-2025	G 3500-4500 CUTAWAY	4.3		V6 GAS	FOR USE W-WO AC / WO DUAL ALT / REQUIRES 6 GROOVE PULLEY
VCK4192V-I6	2021-2025	G 2500-4500 EXPRESS G 3500-4500 CUTAWAY	6.6		V8 GAS	FOR USE W/AC / WO DUAL ALT. / REQUIRES 6 GROOVE PULLEY



ALTERNATOR KITS

CW Mill Equipment Co., Inc
 14 Commerce Drive Sabetha, KS 66534
 Phone: (785) 284-3454
 Fax: (785) 284-3601
 Email: brackets@cwmill.com
 Website: www.cwkits.com

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
DODGE PICKUPS						
DMK3992V-I8	2003-2008	2500-3500	5.7	345	V8 GAS / HEMI	FOR USE W/ AC / WO EGR VALVE / REQUIRES 8 GROOVE PULLEY, USES 7 GROOVE BELT
DMK39L3S-I8	2003-2008	2500-3500	5.7	345	V8 GAS / HEMI	FOR USE W/ AC / WO EGR VALVE / REQUIRES 8 GROOVE PULLEY, USES 7 GROOVE BELT
DMK4092V-6	2009-2019	2500-3500	5.7	345	V8 GAS / HEMI	FOR USE W-WO AC / WO EGR VALVE / REQUIRES 6 GROOVE PULLEY / HEAT GUN FOR WASHER TANK MODIFICATION REQUIRED FOR 2009 MODELS
DMK40L3S-6	2009-2019	2500-3500	5.7	345	V8 GAS / HEMI	FOR USE W-WO AC / WO EGR VALVE / REQUIRES 6 GROOVE PULLEY / HEAT GUN FOR WASHER TANK MODIFICATION REQUIRED FOR 2009 MODELS
DMK40J180-6	2009-2019	2500-3500	5.7	345	V8 GAS / HEMI	FOR USE W-WO AC / WO EGR VALVE / REQUIRES 6 GROOVE PULLEY / HEAT GUN FOR WASHER TANK MODIFICATION REQUIRED FOR 2009 MODELS
DMK54L3S-8	1998-2002	2500-3500	5.9	359	I6 DIESEL / CUMMINS / 24 VALVE	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK54J180-8	1998-2002	2500-3500	5.9	359	I6 DIESEL / CUMMINS / 24 VALVE	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK55L3S-I8	2003-2007	2500-3500	5.9	359	I6 DIESEL / CUMMINS / 24 VALVE	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK5792V-I8	2007-2010	2500-3500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK57L3S-I8	2007-2010	2500-3500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK57J180-I8	2007-2010	2500-3500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK5892V-I8	2011-2013	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / FOR USE WO REMOTE MOUNTED POWER STEERING RESERVOIR / FOR USE WO DUAL ALTERNATOR / NOT FOR USE ON 2012 OR LATER MODELS WITH AUTOMATIC TRANSMISSION / REQUIRES 8 GROOVE
DMK58L3S-I8	2011-2013	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / FOR USE WO REMOTE MOUNTED POWER STEERING RESERVOIR / FOR USE WO DUAL ALTERNATOR / NOT FOR USE ON 2012 OR LATER MODELS WITH AUTOMATIC TRANSMISSION / REQUIRES 8 GROOVE
DMK58J180-I8	2011-2013	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / FOR USE WO REMOTE MOUNTED POWER STEERING RESERVOIR / FOR USE WO DUAL ALTERNATOR / NOT FOR USE ON 2012 OR LATER MODELS WITH AUTOMATIC TRANSMISSION / REQUIRES 8 GROOVE
DMK5892V-I8AT	2012-2013	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / FOR USE WITH 2013 MODELS WITH DIRECT MOUNTED POWER STEERING RESERVOIR ONLY / REQUIRES 8 GROOVE PULLEY
DMK58L3S-I8AT	2012-2013	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / FOR USE WITH 2013 MODELS WITH DIRECT MOUNTED POWER STEERING RESERVOIR ONLY / REQUIRES 8 GROOVE PULLEY
DMK58J180-I8AT	2012-2013	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / FOR USE WITH 2013 MODELS WITH DIRECT MOUNTED POWER STEERING RESERVOIR ONLY / REQUIRES 8 GROOVE PULLEY
DMK5992V-I8	2013-2018	2500-5500	6.7	409	I6 DIESEL / CUMMINS	FOR USE W/ AC / FOR USE WITH 2013 MODELS WITH REMOTE MOUNTED POWER STEERING RESERVOIR ONLY / FOR USE WO DUAL ALTERNATOR / REQUIRES 8 GROOVE CLUTCH

Terms and Conditions-All prices are F.O.B. Sabetha, KS 66534
 Prices subject to change without notice



ALTERNATOR KITS

CW Mill Equipment Co., Inc
 14 Commerce Drive Sabetha, KS 66534
 Phone: (785) 284-3454
 Fax: (785) 284-3601
 Email: brackets@cwmill.com
 Website: www.cwkits.com

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
RMK6092V-I8	2019-2024	2500-5500	6.7		I6 DIESEL / CUMMINS	FOR USE W/ AC / WO DUAL ALT / REQUIRES 8 GROOVE PULLEY
RMK6292V-I8	2025-2026	2500-5500	6.7		I6 DIESEL / CUMMINS	FOR USE W/AC / WO DUAL ALT / REQUIRES 8 GROOVE PULLEY W/2-1/2" DIAMETER
DMK6292V-I8	1994-2003	2500-3500	8.0	488	V10 GAS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
DMK62L3S-I8	1994-2003	2500-3500	8.0	488	V10 GAS	FOR USE W/AC / REQUIRES 8 GROOVE PULLEY
DMK6392V-6	2014-2018	2500-5500	6.4		V8 GAS / HEMI	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 6 GROOVE PULLEY

DODGE VANS

VFLMK2392V-6	2007-2009	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23L3S-6	2007-2009	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23J180-6	2007-2009	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VDK3092V-6	2014-2021	RAM PROMASTER	3.6		V6 GAS	FOR USE W/ AC / REQUIRES 6 GROOVE PULLEY
VRK3092V-6	2022-2026	RAM PROMASTER	3.6		V6 GAS	FOR USE W/ AC / REQUIRES 6 GROOVE PULLEY

FORD PICKUPS

FMK4692V-6	1999-2004	F 250-550 SUPER DUTY	5.4	330	V8 GAS / TRITON	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
			6.8	415	V10 GAS / TRITON	
FMK4692V-8	1999-2004	F 250-550 SUPER DUTY	5.4	330	V8 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
			6.8	415	V10 GAS / TRITON	
FMK46L3S-8	1999-2004	F 250-550 SUPER DUTY	5.4	330	V8 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
			6.8	415	V10 GAS / TRITON	
FMK46J180-8	1999-2004	F 250-550 SUPER DUTY	5.4	330	V8 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
			6.8	415	V10 GAS / TRITON	
FMK46L3S-8SB	1999-2004	F 250-550 SUPER DUTY	5.4	330	V8 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / KIT SUPPLIED W/ BEARING SUPPORT
			6.8	415	V10 GAS / TRITON	
FMK46J180-8SB	1999-2004	F 250-550 SUPER DUTY	5.4	330	V8 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / KIT SUPPLIED W/ BEARING SUPPORT
			6.8	415	V10 GAS / TRITON	



ALTERNATOR KITS

CW Mill Equipment Co., Inc
 14 Commerce Drive Sabetha, KS 66534
 Phone: (785) 284-3454
 Fax: (785) 284-3601
 Email: brackets@cwmill.com
 Website: www.cwkits.com

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
FMK4792V-I6	2005-2010	F 250-550 SUPER DUTY	5.4	330	V8 GAS / TRITON	FOR USE W/ AC / REQUIRES 6 GROOVE PULLEY
	2005-2016	F 250-550 SUPER DUTY	6.8	415	V10 GAS / TRITON	
FMK47L3S-8	2005-2010	F 250-550 SUPER DUTY	5.4	330	V8 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / IF
	2005-2016	F 250-550 SUPER DUTY	6.8	415	V10 GAS / TRITON	INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLE WILL NEED TO BE PURCHASED FROM FORD PART#7L3Z-6312-A
FMK47J180-8	2005-2010	F 250-550 SUPER DUTY	5.4	330	V8 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / IF
	2005-2016	F 250-550 SUPER DUTY	6.8	415	V10 GAS / TRITON	INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLE WILL NEED TO BE PURCHASED FROM FORD PART#7L3Z-6312-A
FMK47L3S-8SB	2005-2010	F 250-550 SUPER DUTY	5.4	330	V8 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / IF
	2005-2016	F 250-550 SUPER DUTY	6.8	415	V10 GAS / TRITON	INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLE WILL NEED TO BE PURCHASED PART#7L3Z-6312-A / KIT SUPPLIED W/ BEARING SUPPORT
FMK47J180-8SB	2005-2010	F 250-550 SUPER DUTY	5.4	330	V8 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / IF
	2005-2016	F 250-550 SUPER DUTY	6.8	415	V10 GAS / TRITON	INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLE WILL NEED TO BE PURCHASED PART#7L3Z-6312-A / KIT SUPPLIED W/ BEARING SUPPORT
FMK24092V-8	2017-2019	F 450-550 SUPER DUTY	6.8		V10 GAS / TRITON	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
FMK24192V-I6	2020-2026	F 250-550 & F600 SUPER DUTY	7.3		V8 GAS	FOR USE W-WO AC / WO DUAL ALT / REQUIRES 6 GROOVE
	2023-2026	F 250-550 & F600 SUPER DUTY	6.8			PULLEY
FMK24192V-I6DA	2020-2022	F 250-550 & F600 SUPER DUTY	7.3		V8 GAS	FOR USE W-WO AC / W/ DUAL ALT / REQUIRES 6 GROOVE PULLEY
FMK4892V-8WP	2011-2016	F 250-550 SUPER DUTY	6.2	378	V8 GAS / TRITON	FOR USE W-WO AC / KIT COMES WITH 6.8L WATER PUMP AND ADAPTER FOR REPLACEMENT TO PREVENT WATER PUMP FAILURE / REQUIRES 8 GROOVE PULLEY
FMK4992V-8WP	2017-2022	F 250-350 SUPER DUTY	6.2	378	V8 GAS / TRITON	FOR USE W-WO AC / KIT COMES WITH 6.8L WATER PUMP AND ADAPTER FOR REPLACEMENT TO PREVENT WATER PUMP FAILURE / REQUIRES 8 GROOVE PULLEY
FMK6692V-8	1999-2003	F 250-550 SUPER DUTY	7.3	444	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / W-WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK66L3S-8	1999-2003	F 250-550 SUPER DUTY	7.3	444	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / W-WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK66J180-8	1999-2003	F 250-550 SUPER DUTY	7.3	444	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / W-WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK6892V-8	2003-2007	F 250-550 SUPER DUTY	6.0	365	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK68L3S-8	2003-2007	F 250-550 SUPER DUTY	6.0	365	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK68J180-8	2003-2007	F 250-550 SUPER DUTY	6.0	365	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK26092V-I8	2008-2010	F 250-550 SUPER DUTY	6.4	390	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK260L3S-8	2008-2010	F 250-550 SUPER DUTY	6.4	390	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK260J180-8	2008-2010	F 250-550 SUPER DUTY	6.4	390	V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY

Terms and Conditions-All prices are F.O.B. Sabetha, KS 66534



CW Mill Equipment Co., Inc
 14 Commerce Drive Sabetha, KS 66534
 Phone: (785) 284-3454
 Fax: (785) 284-3601
 Email: brackets@cwmill.com
 Website: www.cwkits.com

ALTERNATOR KITS

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
FMK26192V-8	2011	F 250-550 SUPER DUTY	6.7	409	V8 DIESEL / SCORPION	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK26492V-8	2012-2023(Build date 12.31.22 or prior) 2020-2023(Build date 12.31.22 or prior)	F 250-550 SUPER DUTY F 600 SUPER DUTY	6.7	409	V8 DIESEL / SCORPION	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK26592V-8	2017-2023(Build date 12.31.22 or prior) 2020-2023(Build date 12.31.22 or prior)	F 250-550 SUPER DUTY F 600 SUPER DUTY	6.7	409	V8 DIESEL / SCORPION	FOR USE W / AC / W/ DUAL ALTERNATOR ONLY / REQUIRES 8 GROOVE PULLEY**THIS WILL NOT WORK ON TRUCKS EQUIPPED WITH ADAPTIVE STEERING**
FMK26692V-6	2023(Build date 01.01.2023 or Later)-2025	F 250-550 SUPER DUTY F 600 SUPER DUTY	6.7		V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / WO FORD PROPOWER OPTION / REQUIRES 6 GROOVE PULLEY
FMK26792V-I6	2023(Build date 01.01.2023 or Later)-2025	F 250-550 SUPER DUTY F 600 SUPER DUTY	6.7		V8 DIESEL / POWERSTROKE	FOR USE W/AC / W/ DUAL ALTERNATOR ONLY / WO FORD PROPOWER OPTION / REQUIRES 6 GROOVE PULLEY **THIS WILL NOT WORK ON TRUCKS EQUIPPED WITH ADAPTIVE STEERING**

FORD MEDIUM DUTY TRUCKS

FMK9392V-I8	2003-2009	F 650-750	7.2	442	I6 DIESEL / C7 CAT	FOR USE W/ AC / W-WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY
FMK93L3S-I8	2003-2009	F 650-750	7.2	442	I6 DIESEL / C7 CAT	FOR USE W/ AC / W-WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY
FMK93J180-I8	2003-2009	F 650-750	7.2	442	I6 DIESEL / C7 CAT	FOR USE W/ AC / W-WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY
FMK26492V-8	2017-2023 (Build date 12.31.2022 or prior)	F 650-750	6.7		V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / REQUIRES 8 GROOVE PULLEY
FMK26692V-6	2023 (Build date 01.01.2023 or later) - 2025	F 650-750	6.7		V8 DIESEL / POWERSTROKE	FOR USE W-WO AC / WO DUAL ALTERNATOR / WO FORD PROPOWER OPTION / REQUIRES 6 GROOVE PULLEY



ALTERNATOR KITS

CW Mill Equipment Co., Inc
 14 Commerce Drive Sabetha, KS 66534
 Phone: (785) 284-3454
 Fax: (785) 284-3601
 Email: brackets@cwmill.com
 Website: www.cwkits.com

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
FORD VANS						
FMK4692V-6	1997-2016	E 150-450	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / IF INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLES WILL NEED TO BE PURCHASED FROM FORD PART#7L3Z-6312-A / REQUIRES 6 GROOVE PULLEY
FMK4692V-8	1997-2019	E 150-450	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / IF INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLES WILL NEED TO BE PURCHASED FROM FORD PART#7L3Z-6312-A / REQUIRES 8 GROOVE PULLEY
FMK46L3S-8	1997-2019	E 150-450	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / IF INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLES WILL NEED TO BE PURCHASED FROM FORD PART#7L3Z-6312-A / REQUIRES 8 GROOVE PULLEY
FMK46J180-8	1997-2019	E 150-450	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / IF INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLES WILL NEED TO BE PURCHASED FROM FORD PART#7L3Z-6312-A / REQUIRES 8 GROOVE PULLEY
FMK46L3S-8SB	1997-2016	E 150-450	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / IF INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLES WILL NEED TO BE PURCHASED FROM FORD PART#7L3Z-6312-A / REQUIRES 8 GROOVE PULLEY / KIT SUPPLIED W/ BEARING SUPPORT
FMK46J180-8SB	1997-2016	E 150-450	5.4 6.8	330 415	V8 GAS / TRITON V10 GAS / TRITON	FOR USE W-WO AC / IF INSTALLING ON 2008 OR NEWER 5.4L A NEW HARMONIC BALANCER WITH TAPPED HOLES WILL NEED TO BE PURCHASED FROM FORD PART#7L3Z-6312-A / REQUIRES 8 GROOVE PULLEY / KIT SUPPLIED W/ BEARING SUPPORT
VFK36L3S-I7	2015-2019	TRANSIT	3.2		DIESEL	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
VFK36J180-I7	2015-2019	TRANSIT	3.2		DIESEL	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
VFK39L3S-6	2015-2019	TRANSIT	3.7		GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES AVAILABLE AND SUGGESTED FOR REMOVAL AND RETORQUING OF HARMONIC BALANCER BOLTS / PART # VF39WR-1 AND VF39WR-2, WRENCHES SOLD
VFK39J180-6	2015-2019	TRANSIT	3.7		GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES AVAILABLE AND SUGGESTED FOR REMOVAL AND RETORQUING OF HARMONIC BALANCER BOLTS / PART # VF39WR-1 AND VF39WR-2, WRENCHES SOLD
VFK130J180-6	2020-2025	TRANSIT	3.5 PFDI		GAS	FOR USE W/AC / W/O OEM DUAL ALTERNATOR / W-WO AWD / REQUIRES 6 GROOVE PULLEY / WO ECOBOOST
VFK13092V-6	2020-2025	TRANSIT	3.5 PFDI		GAS	FOR USE W/AC / W/O OEM DUAL ALT / W-WO AWD / REQUIRES 6 GROOVE PULLEY / WO ECOBOOST
VFK130TM-6	2020-2025	TRANSIT	3.5 PFDI		GAS	FOR USE W/AC / W/O OEM DUAL ALT / W-WO AWD / REQUIRES 6 GROOVE PULLEY / WO ECOBOOST
VFK13092V-I4	2020-2025	TRANSIT	3.5 PFDI 3.5 ECO BOOST		GAS	FOR USE W/AC / W/O OEM DUAL ALT / W-WO AWD / REQUIRES 6 GROOVE PULLEY



ALTERNATOR KITS

CW Mill Equipment Co., Inc
 14 Commerce Drive Sabetha, KS 66534
 Phone: (785) 284-3454
 Fax: (785) 284-3601
 Email: brackets@cwmill.com
 Website: www.cwkits.com

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
VFK24192V-I6	2021-2025	E 350-450 CUTAWAY	7.3		V8 GAS	FOR USE W/AC / WO DUAL ALT. / REQUIRES 6 GROOVE PULLEY
VFK241J180-I6	2021-2025	E 350-450 CUTAWAY	7.3		V8 GAS	FOR USE W/AC / WO DUAL ALT. / REQUIRES 6 GROOVE PULLEY
VFK241TM-I6	2021-2025	E 350-450 CUTAWAY	7.3		V8 GAS	FOR USE W/AC / WO DUAL ALT. / REQUIRES 6 GROOVE PULLEY

FREIGHTLINER MEDIUM DUTY TRUCKS

FLMK70L3S-8	2011-2026*	M2	6.7		CUMMINS ISB DIESEL	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / WILL NOT WORK ON 2019-2026 MODELS W/AIR RELEASE FAN CLUTCH
FLMK70L3S-8ARC	2019-2026	M2	6.7		CUMMINS ISB DIESEL	FOR USE W-WO AC / FOR USE WITH AIR RELEASE FAN CLUTCH / REQUIRES GROOVE PULLEY
FLMK8092V-I8	2015-2026	M2 BUSINESS CLASS	8.9		CUMMINS ISL-9 DIESEL	FOR USE W/AC / REQUIRES 8 GROOVE PULLEY

FREIGHTLINER VANS

VFLMK2392V-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23HPI-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23J180-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23L2S-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23L3S-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23TM-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK25TM-6-7.5	2019-2022	2500-4500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES AVAILABLE & SUGGESTED FOR REMOVAL & RETORQUING HARMONIC BALANCER BOLT, PART #VFL23WR-1 & VFL23WR-2, WRENCHES SOLD SEPERATELY
VFLMK2792V-6-7.5	2019-2022	2500-4500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES ARE AVAILABLE & SUGGESTED FOR REMOVAL & RETORQUING HARMONIC BALANCER BOLT, PART# VFL23WR-1 & VFL23WR-2, WRENCHES SOLD SEPERATELY
VFLMK27J180-6-7.5	2019-2022	2500-4500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES ARE AVAILABLE & SUGGESTED FOR REMOVAL & RETORQUING HARMONIC BALANCER BOLT, PART# VFL23WR-1 & VFL23WR-2, WRENCHES SOLD SEPERATELY
VFLMK27FTAN-6-7.5	2019-2022	2500-4500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES ARE AVAILABLE & SUGGESTED FOR REMOVAL & RETORQUING HARMONIC BALANCER BOLT, PART# VFL23WR-1 & VFL23WR-2, WRENCHES SOLD SEPERATELY
VFLMK2492V-6	2014-2017	2500-3500 SPRINTER	2.1		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK2493V-6	2014-2017	2500-3500 SPRINTER	2.1		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK24J180-6	2014-2017	2500-3500 SPRINTER	2.1		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK24L3S-6	2014-2017	2500-3500 SPRINTER	2.1		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY



ALTERNATOR KITS

CW Mill Equipment Co., Inc
 14 Commerce Drive Sabetha, KS 66534
 Phone: (785) 284-3454
 Fax: (785) 284-3601
 Email: brackets@cwmill.com
 Website: www.cwkits.com

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
VFLMK2692V-6-7.5	2021-2022	2500-4500 SPRINTER	2.0		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES AVAILABLE AND SUGGESTED FOR REMOVAL AND RETORQUING OF HARMONIC BALANCER BOLTS / PART # VFL26WR-1 & VFL26WR-2, WRENCHES SOLD SERPERATELY/ WO MERCEDES BENZ OPTIONS N62 OR N63
VFLMK2693V-6-7.5	2021-2022	2500-4500 SPRINTER	2.0		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES ARE AVAILABLE & SUGGESTED FOR REMOVAL & RETORQUING HARMONIC BALANCER BOLT, PART # VFL26WR-1 & VFL26WR-2, WRENCHES SOLD SEPARATELY / WO MERCEDES-BENZ N62 OR N63 OPTIONS
VFLMK26FTAN-6-7.5	2021-2022	2500-4500 SPRINTER	2.0		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES AVAILABLE & SUGGESTED FOR REMOVAL & RETORQUING HARMONIC BALANCER BOLTS, PART #VFL26WR-1 & VFL26WR-2, WRENCHES SOLD SERPERATELY / WO MERCEDES BENZ N62 OR N63 OPTIONS
VFLMK26J180-6-7.5	2021-2022	2500-4500 SPRINTER	2.0		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES AVAILABLE & SUGGESTED FOR REMOVAL & RETORQUING HARMONIC BALANCER BOLTS, PART #VFL26WR-1 & VFL26WR-2, WRENCHES SOLD SERPERATELY / WO MERCEDES BENZ N62 OR N63 OPTIONS
VFLMK26TM-6-7.5	2021-2022	2500-4500 SPRINTER	2.0		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES AVAILABLE AND SUGGESTED FOR REMOVAL AND RETORQUING OF HARMONIC BALANCER BOLTS, PART #VFL26WR-1 & VFL26WR-2, WRENCHES SOLD SEPARATELY / WO MERCEDES BENZ OPTIONS N62 OR N63

INTERNATIONAL MEDIUM DUTY TRUCKS

IMK3392V-I8	2016-2024	4300-4400 DURASTAR	6.7		CUMMINS ISB	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
IMK33L3S-I8	2016-2024	4300-4400 DURASTAR	6.7		CUMMINS ISB	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
IMK3492V-I8	2025-2026	MV 607	6.7		CUMMINS ISB	FOR USE W/AC / WO DUAL ALT. / REQUIRES 8 GROOVE PULLEY
IMK41L3S-2	1973-1988	S 1800-2600	7.6	466	I6 DIESEL / DT466	FOR USE WO AC / W-WO AIR COMPRESSOR / REQUIRES DUAL V PULLEY
IMK47L3S-I8	1994-2001	4700-4900	6.7 / 7.6	408 / 466	I6 DIESEL / DT408 / DT466	FOR USE W-WO AC / W-WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY
IMK48L3S-I8	2002-2004	4300-4400	7.6	466	I6 DIESEL / DT466	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
IMK48J180-I8	2002-2004	4300-4400	7.6	466	I6 DIESEL / DT466	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
IMK4992V-I8	2005-2007	4300-4400	7.6 / 8.7	466 / 530	I6 DIESEL / DT466 / DT530	FOR USE W / AC / REQUIRES 8 GROOVE PULLEY
IMK49L3S-I8	2005-2007	4300-4400	7.6 / 8.7	466 / 530	I6 DIESEL / DT466 / DT530	FOR USE W / AC / REQUIRES 8 GROOVE PULLEY



ALTERNATOR KITS

CW Mill Equipment Co., Inc
 14 Commerce Drive Sabetha, KS 66534
 Phone: (785) 284-3454
 Fax: (785) 284-3601
 Email: brackets@cwmill.com
 Website: www.cwkits.com

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
IMK5392V-8	2008-2010	4300-4400	7.6	466	I6 DIESEL / MAXXFORCE DT / DT466	FOR USE W-WO AC / 245 HP AND UNDER ONLY / WO AIR RELEASE FAN CLUTCH / REQUIRES 8 GROOVE PULLEY / SENDING PHOTOS OF ENGINE COMPARTMENT IS SUGGESTED
IMK53L3S-8	2008-2010	4300-4400	7.6	466	I6 DIESEL / MAXXFORCE DT / DT466	FOR USE W-WO AC / 245 HP AND UNDER ONLY / WO AIR RELEASE FAN CLUTCH / REQUIRES 8 GROOVE PULLEY / SENDING PHOTOS OF ENGINE COMPARTMENT IS SUGGESTED
IMK53J180-8	2008-2010	4300-4400	7.6	466	I6 DIESEL / MAXXFORCE DT / DT466	FOR USE W-WO AC / 245 HP AND UNDER ONLY / WO AIR RELEASE FAN CLUTCH / REQUIRES 8 GROOVE PULLEY / SENDING PHOTOS OF ENGINE COMPARTMENT IS SUGGESTED
IMK5492V-8	2011-2016	4300-4400	7.6		DT466	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / FOR USE WITH VISCOUS CLUTCH / SENDING PHOTOS OF ENGINE COMPARTMENT IS SUGGESTED
IMK5492V-8ARC	2011-2016	4300-4400	7.6		DT466	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY / FOR USE WITH AIR RELEASE CLUTCH / SENDING PHOTOS OF ENGINE COMPARTMENT IS SUGGESTED
IMK6092V-I8	2016-2024	7000 SERIES WORKSTAR	6.7		CUMMINS ISB	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
IMK6492V-8	2008-2017 2011-2017	DURA STAR TERRA STAR	6.4	390	V8 DIESEL / MAXXFORCE 7	FOR USE W-WO AC / WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY
IMK64L3S-8	2008-2017 2011-2017	DURA STAR TERRA STAR	6.4	390	V8 DIESEL / MAXXFORCE 7	FOR USE W-WO AC / WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY
IMK64J180-8	2008-2017 2011-2017	DURA STAR TERRA STAR	6.4	390	V8 DIESEL / MAXXFORCE 7	FOR USE W-WO AC / WO AIR COMPRESSOR / REQUIRES 8 GROOVE PULLEY

ISUZU MEDIUM DUTY TRUCKS

SMK3492V-8	1999-2010	N-SERIES	4.7 / 5.2		I4 DIESEL	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
SMK34L3S-8	1999-2010	N-SERIES	4.7 / 5.2		I4 DIESEL	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
SMK23092V-8	2011-2023	NPRHD / NQR / NRR	5.2		I4 DIESEL	FOR USE W-WO AC / REQUIRES 8 GROOVE PULLEY
SMK3892V-I6	2003-2020 2022	N-SERIES NQR/NRR	6.0	366	V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
SMK3992V-I6	2021-2026 2024-2026	NPR / NPRHD NQR / NRR	6.6		V8 GAS	FOR USE W/AC / WO DUAL ALT. / REQUIRES 6 GROOVE PULLEY

MERCEDES VANS

VFLMK2392V-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23HPI-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23J180-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23L2S-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23L3S-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK23TM-6	2007-2018	2500-3500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY



ALTERNATOR KITS

CW Mill Equipment Co., Inc
 14 Commerce Drive Sabetha, KS 66534
 Phone: (785) 284-3454
 Fax: (785) 284-3601
 Email: brackets@cwmill.com
 Website: www.cwkits.com

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
VFLMK25TM-6-7.5	2019-2022	2500-4500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES ARE AVAILABLE & SUGGESTED FOR REMOVAL & RETORQUING HARMONIC BALANCER BOLT, PART# VFL23WR-1 & VFL23WR-2. WRENCHES SOLD SEPARATELY
VFLMK2792V-6-7.5	2019-2022	2500-4500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES ARE AVAILABLE & SUGGESTED FOR REMOVAL & RETORQUING HARMONIC BALANCER BOLT, PART# VFL23WR-1 & VFL23WR-2. WRENCHES SOLD SEPARATELY
VFLMK27J180-6-7.5	2019-2022	2500-4500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES ARE AVAILABLE & SUGGESTED FOR REMOVAL & RETORQUING HARMONIC BALANCER BOLT, PART# VFL23WR-1 & VFL23WR-2. WRENCHES SOLD SEPARATELY
VFLMK27FTAN-6-7.5	2019-2022	2500-4500 SPRINTER	3.0	183	V6 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES ARE AVAILABLE & SUGGESTED FOR REMOVAL & RETORQUING HARMONIC BALANCER BOLT, PART# VFL23WR-1 & VFL23WR-2. WRENCHES SOLD SEPARATELY
VFLMK2492V-6	2014-2017	2500-3500 SPRINTER	2.1		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK2493V-6	2014-2017	2500-3500 SPRINTER	2.1		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK24J180-6	2014-2017	2500-3500 SPRINTER	2.1		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK24L3S-6	2014-2017	2500-3500 SPRINTER	2.1		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
VFLMK2692V-6-7.5	2021-2022	2500-4500 SPRINTER	2.0		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES ARE AVAILABLE & SUGGESTED FOR REMOVAL & RETORQUING HARMONIC BALANCER BOLT, PART# VFL26WR-1 & VFL26WR-2, WRENCHES SOLD SEPARATELY / WO MERCEDES-BENZ N62 OR N63 OPTIONS
VFLMK2693V-6-7.5	2021-2022	2500-4500 SPRINTER	2.0		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES ARE AVAILABLE & SUGGESTED FOR REMOVAL & RETORQUING HARMONIC BALANCER BOLT, PART # VFL26WR-1 & VFL26WR-2, WRENCHES SOLD SEPARATELY/ WO MERCEDES-BENZ N62 OR N63 OPTIONS
VFLMK26FTAN-6-7.5	2021-2022	2500-4500 SPRINTER	2.0		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES ARE AVAILABLE & SUGGESTED FOR REMOVAL & RETORQUING HARMONIC BALANCER BOLT, PART # VFL26WR-1 & VFL26WR-2, WRENCHES SOLD SEPARATELY/ WO MERCEDES-BENZ N62 OR N63 OPTIONS
VFLMK26J180-6-7.5	2021-2022	2500-4500 SPRINTER	2.0		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES ARE AVAILABLE & SUGGESTED FOR REMOVAL & RETORQUING HARMONIC BALANCER BOLT, PART # VFL26WR-1 & VFL26WR-2, WRENCHES SOLD SEPARATELY/ WO MERCEDES-BENZ N62 OR N63 OPTIONS
VFLMK26TM-6-7.5	2021-2022	2500-4500 SPRINTER	2.0		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES ARE AVAILABLE & SUGGESTED FOR REMOVAL & RETORQUING HARMONIC BALANCER BOLT, PART # VFL26WR-1 & VFL26WR-2, WRENCHES SOLD SEPARATELY/ WO MERCEDES-BENZ N62 OR N63 OPTIONS
VMK2092V-6	2023-2025	2500-4500 SPRINTER	2.0		I4 DIESEL	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY / WRENCHES AVAILABLE & SUGGESTED FOR REMOVAL & RETORQUING HARMONIC BALANCER BOLT, PART# VM20WR-1, WRENCH SOLD SEPARATELY / FOR USE WO MERCEDES BENZ OPTIONS N62 AND N63



CW Mill Equipment Co., Inc
14 Commerce Drive Sabetha, KS 66534
Phone: (785) 284-3454
Fax: (785) 284-3601
Email: brackets@cwmill.com
Website: www.cwkits.com

ALTERNATOR KITS

KIT#	YEAR	CHASSIS	LITER	C.I.D	ENGINE	NOTES
NISSAN VANS						
NMK5092V-I7	2011-2016	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
NMK50L3S-I7	2011-2016	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W/ AC / REQUIRES 8 GROOVE PULLEY
NMK50J180-I7	2011-2016	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W/AC / REQUIRES 8 GROOVE PULLEY
NMK5392V-6	2017-2021	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
NMK53J180-6	2017-2021	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY
NMK53L3S-6	2017-2021	NV 1500-3500 VAN	5.6		V8 GAS	FOR USE W-WO AC / REQUIRES 6 GROOVE PULLEY